

ALLIED PRESSROOM CHEMISTRY MATERIAL SAFETY DATA SHEET

	SE	CTION	1 PRC	DUCT ID	ENTIFIC	ATION	AND USE	
PRODUCT IDENTIFIE				BRICANT ographic roller	s)		0-minimal, 1-slight, 2- HEALTH HA	-moderate, 3-serious, 4-severe AZARD: 1
MANUFACTURER'S NAME: ALLIED PRESSROOM CHEMISTRY.							FIRE HAZAI REACTIVIT PROTECTIV	
STREET ADDRESS 2040 LEE STREET, HOLLY	WOOD, FLC	ORIDA, 3302	20, USA				$\Sigma \Delta$	
		AX: 54-923-646	2	24 HR. EMERGENCY TELEPH 800-424-9300 CHEMTREC		-	Safety Glasses	Protective Bloves Apron
THIS IS AN INDUSTRIAL PRODUCTS POSE AN II COMPLETE LABEL AND	NHERENT	HEALTH	RISK. B	EFORE USE	ALWAYS RE			APORS. DO NOT GET IN EYES, ON CLOTHING. DO NOT INGEST
		SECT	ION 2	– INGREI	DIENT INF	FORM/	ATION	
INGREDIENTS *These ingredients are subject to the reporting requirements of SARA 313 and 40 CFR 372		% C NU			HAZARD DATA			
No listed hazardous ingredie	ents							
			DELIST				ONTROL ACT (TSCA)	
	ALL INGR)
				WATER SOL	HYSICAL			SPECIFIC GRAVITY
PHYSICAL STATE Semi solid paste, can melt to liquid	Light yello negligible	ow paste,	RANCE	In-soluble	UBILITY	PH Not Ap	plicable	1.0
VAPOR PRESSURE (MM Hg) <1 @ 20°C (estimate)	VAPOR I (AIR=1) >1	DENSITY		EVAPORATION RATE (Butyl acetate = 1) <1		BOILING POINT (°F) Not known		V.O.C.'s 0 % by Mass 0 lb per Gallon (0 g/l)
		SECT	ION 4	- FIRE AN		DSION	DATA	
FLAMMABILITY			, UNDEF					
YES □ NO ■		WHICH	I CONDI	TIONS? * P			r fire conditions.	
EXTINGUISHING MEDIA CARBON DIOXIDE, DRY	L, UNIVERSAL FOAM.			SPECIAL FIRE FIG Use self contained b				
FLASHPOINT (°F) AND N > 400F by TCC		UPPER FLAM (% BY VOLUM			_			
AUTOIGNITION TEMPEI (°C) Not known	HAZARDOUS COMBUSTION PRODUCTS Oxides of carbon and hydrocarbons.							
EXPLOSION DATA * NOT KNOWN		SENSITIVITY TO IMPACT NO			SENSITIVITY TO STATIC DISC		TATIC DISCHARGI	E
		S	SECTI	ON 5 - RE	ACTIVITY	/ DAT	Α	
CHEMICAL STABILITY YES ■ NO □	CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERISATION							
INCOMPATIBILTY WITH None known	OTHER S	UBSTANC	CES					
		CODUCTS: In contact with open flame or TI bon dioxide, carbon monoxide and				is product is not pho	ptochemically reactive	



ALLIED PRESSROOM CHEMISTRY MATERIAL SAFETY DATA SHEET

PRODUCT IDENTIFIER * ALLIED ROLLER LUBRICANT
SECTION 6 - TOXICOLOGICAL PROPERTIES
ROUTES OF ENTRY SKIN CONTACT ■ SKIN ABSORPTION □ EYE CONTACT ■ INHALATION □ INGESTION ■
ACUTE EXPOSURE TO PRODUCT : Inhalation – Very low vapor pressure, negligible hazard Eye - Will cause irritation, burning, redness and tearing. Skin - Can cause irritation, redness burning and drying on prolonged contact. Ingestion causes irritation of the digestive tract. Aspiration into the lungs can lead to pulmonary odema and chemical pneumonia which can prove fatal.
CHRONIC EXPOSURE TO PRODUCT: Prolonged skin contact may aggravate an existing dermatitis.
CARCINOGENICITY: No ingredient present at greater than 0.1 % is identified as a carcinogen by OSHA, IARC or NTP
TARGET ORGAN EFFECTS: Eye, skin irritant
EMERGENCY FIRST AID PROCEDURES: EYES: Flush with running water for at least 15 minutes. Seek medical attention. SKIN: wash affected area with soap and water. Remove contaminated clothing and launder before re-use. INHALATION: Remove victim to fresh air. Administer oxygen and/or artificial respiration if breathing difficulties occur. Seek medical attention. INGESTION: Do not induce vomiting. Material is an aspiration hazard, may enter lungs and cause lung damage. Seek immediate medical attention.
GLOVES RESPIRATOR: Use NIOSH approved SCBA in bitrile for incidental, non-immersion contact. EYE (SPECIFY) (Splash proof goggles or face shield)
CLOTHING : Boots, aprons, or chemical suits should be used when necessary to prevent skin contact.
ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS) : Use local exhaust or dilution ventilation as appropriate to control exposure below permissible levels. Vapors are heavier than air and will collect in low areas
LEAK AND SPILL PROCEDURE : Extinguish all sources of ignition. Provide maximum ventilation. Dike area to contain spill. Take precautions to prevent contamination of ground and surface waters. Recover spilled material using absorbent material such as vermiculite and sweep into closed containers for disposal.
WASTE DISPOSAL : Contaminated vermiculite or porous surface must be disposed of in a permitted hazardous waste facility. Recovered liquids may be reprocessed or incinerated in a permitted hazardous waste facility. In all cases material should be disposed of in accordance with all applicable regulations.
HANDLING PROCEDURES AND EQUIPMENT : Keep container closed when not in use. Store only in closed, properly labeled containers. Store in a cool, dry, well ventilated area away from heat sparks and open flames. Treat empty containers as containing hazardous residues.
SECTION 8 - ADDITIONAL INFORMATION
CALIFORNIA PROPOSITION 65: This regulation does not address "de minimis" levels. Therefore even trace amounts of chemicals on these lists must be identified. Trace quantities refer low levels of materials whose exact concentrations may not always be determined because of their minuteness. This product contains the following chemicals known by the state of California to cause cancer: None This product contains the following chemicals known by the state of California to cause reproductive harm : None
SHIPPING INFORMATION: Not regulated for shipping purposes
SECTION 9 – PREPARATION AND DATE OF MSDS
PREPARED BY (GROUP DEPARTMENT, ETC.) PHONE NUMBER DATE ALLIED PRESSROOM CHEMISTRY TECHNICAL SERVICES DEPARTMENT 1-800-327-8487 Sept 2010
The above information is believed to be correct as of the date hereof and is based on data supplied by raw material suppliers, however, no warranty of merchantability, fitnes for use, or any other warranty is expressed or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards

for use, or any other warranty is expressed or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the nazards connected with each use. Since the information contained herein may be applied under conditions beyond our control and with which we are unfamiliar, and since the data made available subsequent to the date hereof may suggest modifications of the information, we do not assume responsibility for the results of its' use. This information is furnished on the condition that the person receiving it shall make his own determination as to the suitability of the material for his particular purpose and on the condition that he assume risk of his use thereof.