


Page 1 of 10

1. Product and Company Identification

Product Name	: Pigment Ink 3 For Textile Cyan 3
Product Code	: SPC-0607C
General Use	: Ink jet printing ink
Product Description	: Pigment ink
MSDS Number	:031-35W14CC
Manufacture	
Company Name	: Mimaki Engineering Co., Ltd
Address	: 2182-3 Otsu, Shigeno, Tomi-shi, Nagano 389-0512 Japan
Telephone No.	: +81-268-64-2413
Importer/Distributor Estab	blished in USA
Company Name	: MIMAKI USA. INC.
Address	: 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A
Telephone No.	: 1-678-730-0100
Emergency Telephone No.	: +81-268-64-2413

2. Hazards Identification

Hazard description:	: Not applicable.
Information pertaining	: The product does not have to be labeled due to the calculation
to Particular dangers for	procedure of international guidelines.
man and environment:	
Classification system:	: The classification was made according to the latest editions of
	international substances lists, and expanded upon from company and
	literature data.
Eye Contact	: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing. Get medical
	advice/attention if you feel unwell.
Skin Contact	: Get medical advice/attention.
Ingestion	: Material is possibly harmful if swallowed. Material can cause the
	following: abdominal pain, vomiting, nausea, depression, diarrhea,
	gastrointestinal irritation, dizziness.
IF exposed or concerned:	Get medical advice/attention.
	Call a POISON CENTER or doctor/physician if you feel unwell.



3. Composition / Information On Ingredients

No	Chemical Name	Wt%	CAS No.	Chemical
				Formula
1	Water, distilled, conductivity or of similar purity	60-70%	7732-18-5	H ₂ O
2	Wetting agent	25-35%	Trade Secret	Trade Secret
3	Others	1-5%	Trade Secret	Trade Secret

OSHA Hazardous: This product is considered hazardous under the OSHA HazardComponentsCommunication Standard.(29 CFR 1910. 1200)

4. First Aid Measures

General Information:	No special measures required.
After Inhalation:	Supply fresh air, consult doctor in case of complaints.
After Skin Contact:	Generally the product does not irritate the skin.
After Eye Contact:	Rinse opened eye for several minutes under running water.
After Swallowing:	If symptoms persist consult doctor.



Page 3 of 10

5. Fire Fighting Measures

SUITABLE	CO ₂ ,extinguishing powder or water spray. Fight lager fires with
EXTINGUISHING	water spray or alcohol resistant foam.
AGENTS:	
PROTECTIVE	No special measures required.
EQUIPMENT:	

6. Accidental Release Measures

Person-Related Safety Precautuons:

Not required.

Measures For Environmental Protection:

Do not allow to enter sewers/ surface or ground water.

Measures For Cleaning/ Collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Additional Information:

No dangerous substances are released.

7. Handling And Storage

Handling:	· Information for safe handling: No special measures required.
	\cdot Information about protection against explosions and fires: No
	special measures required.
Storage:	\cdot Requirements to be met by storerooms and receptacles: No special
	requirements.
	· Information about storage in one common storage facility: Not
	required.
	• Further information about storage conditions: None.



Product Name: Pigment Ink 3 For Textile Cyan MSDS No. 031-35W14CC First issue: Apr 6, 2009

Material Safety Data Sheets

Page 4 of 10

8. Exposure Controls / Personal Protection		
8.1 Exposure Limit Values	 Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. 	
	\cdot Additional information: The lists that were valid during the creation were used as basis.	

8.2. Exposure controls

8.2.1. Occupational exposure controls

General	Protect	ive	And	The usual precautionary measures for handling chemicals
Hygienic M	leasures:			should be followed.
Breathing	Equipmer	nt:		Not required.
Hand Prote	ection:			The glove material has to be impermeable and resistant to
ille -				the product/ the substance/ the preparation.
				Due to missing tests no recommendation to the glove
Gloves				material can be given for the product/ the preparation/ the
				chemical mixture.
				Selection of the glove material on consideration of the
				penetration times, rates of diffusion and the degradation.
Material O	f Gloves:			The selection of the suitable gloves does not only depend
				on the material, but also on further marks of quality and
				varies from manufacturer to manufacturer. As the product
				is a preparation of several substances, the resistance of
				the glove material can not be calculated in advance and
				has therefore to be checked prior to the application.
Penetration	n Time	Of	Glove	The exact break trough time has to be found out by the
Material:				manufacturer of the protective gloves and has to be
				observed.



Product Name: Pigment Ink 3 For Textile Cyan MSDS No. 031-35W14CC First issue: Apr 6, 2009

Material Safety Data Sheets

Page 5 of 10

Appearance - Physical state : lice	quid
- Colour : bl	ue
Odour : Cl	haracteristic
pH :7.	0 - 9.5
Boiling Point / Boiling Range : 10	00 °C (212.00 °F) Water
Melting Point / Merting Range : N	ot available
Decomposition Temperature : No	ot available
Flash Point : N	oncombustible
Auto-Ignition Temperature : N	ot available
Flammability(solid, gas) : N	ot available
Vapour Pressure : N	ot available
Specific Gravity : 0.	95 - 1.10
Solubility : N	ot available
Water solubility : D	ilutable
Viscosity : 3.	000 – 5.000 mPa.s
Vapour density :<1	1.0 Water
Evaporation Rate :<1	1.00 Water

10. Stability And Reactivity

Thermal Decomposition:	No decomposition if used according to specifications.
Dangerous Reactions:	No dangerous reactions known.

Dangerous Products Of Decomposition: No dangerous decomposition products known.

11. Toxicologocal Information

The following toxicological data shown are those obtained from tests on products of similar composition.

ACUTE TOXICITY:

	Oral LD ₅₀	Dermal LD ₅₀	Inhalant LC_{50}

EYE IRRITATION: No irritating effect.

SKIN IRRITATION: No irritating effect.



Page 6 of 10

SENSITIZATION:	No sensitive effects known.
ADDITIONAL	The product is not subject to classification according to internally
TOXICOLOGICAL	approved calculation methods for preparations:
INFORMATION:	When used and handled according to specifications, the product does
	not have any harmful effects according to our experience and the
	information provided to us.

12. Ecological Information

GENERAL NOTES Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13. Disposal Considerations

Disposal:

· Product:

•

Recommendation: Smaller quantities can be disposed of with household waste.

Uncleaned packagings:

٠ Recommendation: Disposal must be made according to official regulations.

14. Transport Information

- · DOT regulations:
- · Hazard class: -
- · Land transport ADR/RID (cross-border):
- · ADR/RID class: -
- · Maritime transport IMDG:
- · IMDG Class: -
- · Marine pollutant: No



Page 7 of 10

- Material Safety Data Sheets
 - · Air transport ICAO-TI and IATA-DGR:
 - · ICAO/IATA Class: -
 - $\cdot~$ UN "Model Regulation": -Not Applicable

15. Regulatory Information

\cdot Sara	1					
Se	ection 355		None of the ingredient is listed.			
(e	xtremely hazardous	substances):				
Se	ection 313		None of the ingredients is listed.			
(S	pecific toxic chemica	l listings)				
TS	TSCA (Toxic Substances Control		All ingredients are listed.			
A	et):					
• Propo	osition 65					
Cl	hemicals known to	None of the in	ngredients is listed.			
ca	use cancer:					
Cl	hemicals known to	None of the in	ngredients is listed.			
ca	use reproductive					
to	xicity for females:					
Cl	hemicals known to	None of the in	ngredients is listed.			
ca	use reproductive					
to	xicity for males:					
Cl	hemicals known to	None of the in	ngredients is listed.			
ca	use					
de	evelopmental					
to	xicity:					
	erogenity categories					
	PA		None of the ingredient is listed.			
	Invironmental Prote	ction				
	gency):					
	ARC		None of the ingredients is listed.			
	(International Agency for					
	esearch on Cancer)					
N	TP		None of the ingredient is listed.			



Page 8 of 10

(National Toxicology Program)				
TLV	None of the ingredients is listed.			
(Threshold Limit Value				
established by ACGIH)				
NIOSH-Ca(National Institute for	None of the ingredients is listed.			
Occupational Safety and Health)				
OSHA-Ca (Occupational Safety &	None of the ingredient is listed.			
Health Administration)				

Product related hazard informations:

Material Safety Data Sheets

Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations to directives on hazardous materials.



Product Name: Pigment Ink 3 For Textile Cyan MSDS No. 031-35W14CC First issue: Apr 6, 2009

Page 9 of 10

16. Other Information

Abbreviations	and	
acronyms:		
		ADR: Accord européen sur le transport des marchandises Dangereuses
		par Route (European Agreement concerning the International
		Carriage of Dangerous Goods by Road)
		RID: Reglement internationale concernent le transport des
		merchandises dangereuses par chemin de fer (Regulations Concerning
		the International Transport of Dangerous
		Goods by Rail)
		IMDG: International Maritime Code for Dangerous Goods
		DOT: US Department of Transportation
		IATA: International Air Transport Association
		IATA-DGR: Dangerous Goods Regulations by the "International Air
		Transport Association" (IATA)
		ICAO: International Civil Aviation Organization
		ICAO-TI: Technical Instructions by the "International Civil Aviation
		Organization" (ICAO)
		GHS: Globally Harmonized System of Classification and Labelling of
		Chemicals
		ACGIH: American Conference of Governmental Industrial Hygienists
		NFPA: National Fire Protection Association (USA)
		HMIS: Hazardous Materials Identification System (USA)

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and dose not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.



Page 10 of 10

Revision history

Version	Date	Content
1.0	Apr 6, 2009	First issue