

Material Safety Data Sheets

1. Product and Company Identification

Product Name : UVink F-200 Light Cyan
Product Code : SPC-0516LC
General Use : Inkjet Ink
Product Description : UV Inkjet Ink
MSDS Number : 031-33U043C
Manufacture
Company Name : MIMAKI ENGINEERING Co., Ltd
Address : 2182-3 Otsu, Shigeno, Tomi-shi, Nagano 389-0512 Japan
Telephone No. : +81-268-64-2413
Importer/Distributor Established in USA
Company Name : MIMAKI USA. INC.
Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A
Telephone No. : 1-678-730-0100
Emergency Telephone No. : +81-268-64-2413

2. Hazards Identification

Emergency Overview: Specific Physical Form: Liquid
Odor, Color, Grade: Acrylate Order, Cyan Color
General Physical Form: Liquid
Immediate health, physical, and environmental hazards: Closed containers exposed to heat from fire may build pressure and explode. Hazardous polymerization may occur. May cause severe eye irritation. May cause allergic skin reaction. May cause severe skin irritation.

Potential Health Effects

Inhalation: Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Eye Contact: Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Material Safety Data Sheets

Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode.

Contain spill.

For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material.

Mix in sufficient absorbent until it appears dry.

Collect as much of the spilled material as possible.

Clean up residue with an appropriate solvent selected by a qualified and authorized person.

Ventilate the area with fresh air.

Read and follow safety precautions on the solvent label and MSDS.

Collect the resulting residue containing solution.

Place in a closed container approved for transportation by appropriate authorities.

Dispose of collected material as soon as possible.

In the event of a release of this material, the user should determine if the release qualifies as reportable according to local, state and federal regulations.

7. Handling And Storage

Handling	: Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid breathing of vapors, mists or spray. Avoid skin contact. Avoid eye contact with vapors, mists, or spray. Avoid contact with oxidizing agents.
Storage	: Store away from heat. Store out of direct sunlight. Store away from oxidizing agents.

Material Safety Data Sheets

8. Exposure Controls / Personal Protection

Exposure Limit Values

Chemical Name		TWA	Additional Information
2-Propenoic acid, 1,6-hexanediyl ester	AIHA	1mg/m ³	Sensitizer
Methanone, diphenyl-	AIHA	0.5mg/m ³	
Copper Compounds	ACGIH	as Cu dust or mist 1mg/m ³	
	OSHA	as dust or mist 1mg/m ³	Table Z-1A
2-Propenoic acid, isoctyl ester	AIHA	5ppm	

Source of exposure limit data:

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

AIHA: American Industrial Hygiene Association Workplace Environmental Exposure Level (WEEL)

Exposure Controls

Occupational Exposure Controls

Engineering Controls : Provide local exhaust ventilation at transfer points. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below Occupational Exposure Limits and/or control mist, vapor, or spray. If ventilation is not adequate, use respiratory protection equipment.

Personal Protection

Respiratory

Avoid breathing of vapors, mists or spray.

Protection:

Select one of the following NIOSH approved respirators based on airborne concentration of contaminants and in accordance with OSHA regulations: Half facepiece or fullface air-purifying respirator with organic vapor cartridges.

Eye/Face Protection:

Avoid eye contact with vapors, mists, or spray.



The following eye protection(s) are recommended:

Safety Glasses with side shields, Indirect Vented Goggles.

(Goggles recommended when a splash potential exists.)

Material Safety Data Sheets

Skin Protection :



Avoid skin contact.

Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Nitrile Rubber.

Prevention of

Do not eat, drink or smoke when using this product.

Swallowing :

Wash exposed areas thoroughly with soap and water.

9. Physical And Chemical Properties

Appearance	- Physical state	: Liquid
	- Color	: Cyan
Odour		: Acrylate odor
pH		: Not Applicable
Boiling Point / Boiling Range		: >200 degree F
Melting Point / Merging Range		: Not Applicable
Flash Point		: >200 degree F [Test Method: Closed Cup]
Auto-Ignition Temperature		: No data available
Flammable Limits		: No data available
Vapour Pressure		: <10 mmHg [20 degree C]
Density		: 1.04g/ml
Water solubility		: Negligible
Viscosity		: 7~11mPa·s (45 deg C)
Specific Gravity		: 1.04 [Ref Std: WATER=1]
Vapor Density		: >1 [Ref Std: AIR=1]

10. Stability And Reactivity

Stability	: Stable
Materials and Conditions To Avoid	: Strong oxidizing agents; Heat
Hazardous Polymerization	: Hazardous polymerization may occur. (Upon depletion of inhibitor or exposure to heat)

Material Safety Data Sheets

Hazardous Decomposition or By-Products

Substance	Condition
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion

11. Toxicological Information

Acute Toxicity	: Not available
Eye Irritation	: The stimulation of intense eyes.
Skin Irritation	: Intense skin stimulation
Inhalation	: The stimulation of the respiratory system.
Ingestion	: A gastrointestinal tract organization may be stimulated.
Sensitization	: Not available
Mutagenicity	: Not available

12. Ecological Information

Handling is noted because it might influence the environment when leaking and abandoning it. Especially, note that the product doesn't flow directly to ground, the river, and the drain ditch.

Ecotoxicity	: Not available
Persistence And Degradability	: Not available
Bioaccumulative Potential	: Not available
Other Adverse Effects	: Not available

13. Disposal Considerations

Waste Disposal Method	: Incinerate in an industrial or commercial facility in the presence of a combustible material. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste. Since regulations vary, consult applicable regulations or authorities before disposal. <u>Do not dump this product into sewers, on the ground or into any body of water.</u>
-----------------------	--

EPA Hazardous Waste Number (RCRA): Not regulated

Material Safety Data Sheets

14. Transport Information

Check a thing without a leak in a container.
Perform prevention of collapse of cargo surely.
UN, IMO, ICAO: Not regulated

15. Regulatory Information

US Federal Regulations

Section 311/312 : Fire Hazard-No Pressure Hazard-No Reactivity Hazard-No
(40 CFR 370) Immediate Hazard – Yes Delayed Hazard - No

TSCA Status The components of this product are in compliance with the chemical notification requirements of TSCA.

Please refer to any other USA, national and local measures.

16. Other Information

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and dose not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.

Revision history

Version	Date	Content
1.0	2007/12/21	First issue