SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

> GHS Product Identifier Mitusbishi SLM-OEIII Deletion Pen

Product Code SLM-OEIII Chemical Name Mixture

Trade name Mitusbishi SLM-OEIII Deletion Pen

CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s) Users are recommended to seek further advice. Uses advised against Users are recommended to seek further advice.

1.3 Supplier's details

> Company Identification Mitsubishi Imaging (MPM), Inc.

555 Theodore Fremd Avenue, Rye, NY 10580 USA Address

Telephone (914) 925-3200

E-Mail (competent person)

Emergency telephone number - ChemTrec 1.4

Emergency Phone No. (800) 424-9300 (US/Canada), +01 (703) 527-3887 (Elsewhere)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP) -Skin Irritation 2, Eye Irritation 2, 3.8/3 STOT Single exposure 3, (3.2/2, 3.3/2, 3.8/3)
- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC - Harmful.
- 2.2 Label elements
- 2.2.1 According to Regulation (EC) No. 1272/2008 (CLP) Label elements

GHS Product Identifier (EU)

Hazard pictogram(s)



Signal word(s) Warning

Hazard H315 Causes skin irritation.

H319 Causes serious eye irritation. statement(s)

H335: May cause respiratory irritation.

P261 Avoid breathing mist/ vapours/ spray. Precautionary

Statement(s) P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.2.2 Label elements

Hazard Symbol

According to Directive 67/548/EEC & Directive 1999/45/EC

Risk Phrases

R36/37/38: Irritating to eyes, respiratory system and skin.

Safety Phrases S24/25: Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S27/28: After contact with skin, take off immediately all contaminated clothing,

and wash immediately with plenty of: Cool water.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

2.3

Other hazards Hazardous under OSHA Hazard Communication Standard (USA)

HMIS: Health-1, Flammability- 0 Reactivity - 0 GHS Classification (USA): 3.1/5, 3.3/2,3.8/3,

H303 May be harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335: May cause respiratory irritation.

Page: 1/6 New Issue Expiration Date: 6 June 2016

Revision: 2011.01

SAFETY DATA SHEET SLM - OEIII Deletion Pen

P261 Avoid breathing mist/ vapours/ spray.

P280 Wear protective gloves/ eve protection/ face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **WHMIS Classification (Canada):** Class D2B, Material having other toxic

Date: 7 June 2013

GHS Classification (CANADA): 3.1/5,3.3/2, 3.8/3,4.1/3

H303 May be harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335: May cause respiratory irritation.

P261 Avoid breathing mist/ vapours/ spray.

P280 Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.4 Additional Information

Potential Health Effects

Inhalation May cause mild irritation
Eye Contact Causes moderate eye irritation.
Skin Contact May cause skin irritation.

Ingestion Product is a gastro-intestinal irritant. May be harmful if swallowed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.		pictogram(s) and d statement(s)
Diethylenetriamine Pentaacetic Acid mono iron, Diammonium Salt	7-13	85959-68-8	289-064-0	NA	None	None
Ethylenediamine Tetraacetic Acid	1-5	60-00-4	200-449-4	NA	(3.3/2; H319
Potassium Bromide	1-5	7758-02-3	231-830-3	NA	(3.2/2, 3.3/2, 3.8/3, H315, H319, H335
Ammonium Thiosulfate	10-30	7783-18-8	231-982-0	NA	None	None
Sodium Thiosulfate Pentahydrate	1-5	10102-17-7	231-867-5	NA	None	None

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.		ssification and k Phrases
Diethylenetriamine Pentaacetic Acid mono iron, Diammonium Salt	7-13	85959-68-8	289-064-0	NA	None	None
Ethylenediamine Tetraacetic Acid	1-5	60-00-4	200-449-4	NA	×	Xi, R36
Potassium Bromide	assium Bromide 1-5 7758-02-3 231-83		231-830-3	NA	×	Xi, R36/37/38
Ammonium Thiosulfate	nium Thiosulfate 10-30 7783-18-8 231-982-0		231-982-0	NA	None	None
Sodium Thiosulfate Pentahydrate	1-5	10102-17-7	231-867-5	NA	None	None

3.3 Additional Information - For full text of H/P phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove patient from exposure. Keep patient at rest and give oxygen if breathing

difficult. If symptoms develop, obtain medical attention.

Skin Contact Wash affected skin with soap and water. If symptoms develop, obtain medical

attention.

Eye Contact Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least

15 minutes. Obtain immediate medical attention.

Ingestion Do not induce vomiting. Obtain immediate medical attention.

Mitsubishi Imaging (MPM), Inc.

Page: 2/6 Expiration Date: 6 June 2016

SAFETY DATA SHEET SLM - OEIII Deletion Pen

Date: 7 June 2013

4.2 Most important symptoms and effects, Acute: Causes damage to eyes and skin. both acute and delayed

Delayed and chronic effects: Similar to acute exposures. May cause hemolysis of red blood cells.

4.3 Indication of the immediate medical Exposure by ingestion should be treated attention and special treatment needed symptomatically by medical personnel.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing media**

> Suitable Extinguishing Media Unsuitable Extinguishing Media

Choose media for surrounding fire.

None

5.2 Special hazards arising from the substance or mixture

Product is not flammable. Products of combustion include compounds of carbon, hydrogen, oxygen, nitrogen and sulfur,

including Carbon Monoxide.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool with water spray to prevent container rupture due to

steam buildup:

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure full personal protection (including respiratory

protection) during removal of spillages.

6.2 **Environmental precautions**

Do not let undiluted product enter drains.

6.3 Methods and material for containment and cleaning up Rinse small spills to sewers with copious quantities of water. Confine large spills; either use vacuum gear or inert

absorbent such as clay. Keep in suitable, closed containers

for disposal.

6.4 Reference to other sections See Sections 7, 8, 13.

6.5 **Additional Information** None.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

All employees who handle this material should be trained to handle it safely. Wear suitable protective clothing and eye/face protection.

Avoid skin and eye contact.

7.2 **Conditions for safe** storage, including any incompatibilities

Attacks many metals. Store at ambient temperatures. Store in a closed container. Store in a well-ventilated place. Keep/store away from: Strong acids, Strong oxidiziers and reactive metals.

Storage Temperature

Ambient temperatures.

Storage Life Incompatible materials Not available. Keep containers properly sealed when not in use.

Strong acids, Stong oxidizers, reactive metals.

7.3 Specific end use(s) Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Diethylenetriamine Pentaacetic Acid mono iron, Diammonium Salt	85959-68-8	NE	NE	NE	NE	None
Ethylenediamine Tetraacetic Acid	60-00-4	NE	NE	NE	NE	None
Potassium Bromide	7758-02-3	NE	NE	NE	NE	None
Ammonium Thiosulfate	7783-18-8	NE	NE	NE	NE	None
Sodium Thiosulfate Pentahydrate	10102-17-7	NE	NE	NE	NE	None

8.1.2 Biological limit value

Biological limit values are not available for this product.

Page: 3/6 Expiration Date: 6 June 2016

SAFETY DATA SHEET SLM - OEIII Deletion Pen

Date: 7 June 2013

8.1.3 PNECs and DNELs

No PNECs and/or DNELs are available for this product.

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Guarantee sufficient ventilation during and after use, in

order to prevent vapour accumulation.

8.2.2 Personal protection equipment

Eye/face protection Safety spectacles.

Plastic or synthetic rubber gloves. Wear chemical Skin protection

resistant apron.

Respiratory protection

Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure

limit is likely.

Thermal hazards None

8.2.3 Environmental Exposure Controls Adequate ventilation must be used.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

(Hand protection/ Other)

Appearance Yellowish Brown Colour Yellowish brown Solution Odour Odour Threshold (ppm) Not available Odorless Melting Point (°C) / Freezing Point (°C) Not available Boiling point/boiling range (°C): Not available Flash Point (°C) Non-Flammable Explosive limit ranges Not available Auto Ignition Temperature (°C) Not available Decomposition Temperature (°C) Not available Explosive properties Not available Oxidising properties Not available Flammability (solid, gas) Not available pH (Value) 7.0 ±0.2 Vapor Pressure (mm Hg) 17mm Hg @ 20°C Evaporation rate <1 Vapour Density (Air=1) Density (g/ml) 1.173 ±0.02 @25°C >1 Solubility (Water) Complete Solubility (Other) Not available Partition Coefficient (n-Octanol/water) Not available Viscosity (mPa.s) Not specified.

9.2 Other information Volatile Organic Compound (VOC) Content: 60 g / L per EPA Method 24 (does not

include water). VOC weight %: <5% (calc) per California CARB methodology.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous Can react violently if in contact with - strong acids, strong

reactions oxidisers.

10.4 Conditions to avoid Extreme temperatures.

10.5 Incompatible materials Strong acids, strong oxidisers reactive metals.

10.6 Hazardous Decomposition Oxides of carbon, sulfur, nitrogen, hydrocarbons, fumes, smoke.

Product(s)

SECTION 11: TOXICOLOGICAL INFORMATION

Ingredient	CAS No.	LD ₅₀ (Oral, Rat)	LC ₅₀ (Inhalation, Rat)
Diethylenetriamine Pentaacetic Acid mono iron, Diammonium Salt	85959-68-8	NE	NE
Ethylenediamine Tetraacetic Acid	60-00-4	>1000mg/kg	NE
Potassium Bromide	7758-02-3	3070 mg/kg	NE
Ammonium Thiosulfate	7783-18-8	2890 mg/kg	NE
Sodium Thiosulfate Pentahydrate	10102-17-7	NE	NE

11.1 Information on toxicological effects

11.1.2 **Mixtures**

Acute toxicity Possibily toxic if swallowed, may cause red blood cell hemolysis.

Eye irritant, possible skin and respiratory irritant. Irritation

None Corrosivity Sensitisation No data

Expiration Date: 6 June 2016 Page: 4/6

11.2

SAFETY DATA SHEET SLM - OEIII Deletion Pen

Date: 7 June 2013

Repeated dose toxicity Similar to acute exposures.

Carcinogenicity No data Mutagenicity No data No data Toxicity for reproduction Other information None

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity No data available.

12.2 Persistence and degradability No data. 12.3 Bioaccumulative potential Slight.

12.4 Mobility in soil Expected to have moderate to high mobility in soils.

12.5 Results of PBT and vPvB assessment No data.

12.6 Other adverse effects Environmental hazards cannot be excluded by

inappropriate handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Do not empty into drains; dispose of this material and its container in a safe way.

Send to a licensed recycler, reclaimer or incinerator. Avoid release to the treatment

environment. Decontaminate empty containers before recycling. methods

13.2 Additional None

Information

SECTION 14: TRANSPORT INFORMATION

Land transport (Within USA) (b)(c) Land transport (ADR/RID) (a)(c)

Not regulated **UN** number UN number Not regulated Proper Shipping Name Not regulated Proper Shipping Name Not regulated Transport hazard class(es) Not regulated Transport hazard class(es) Not regulated Packing Group Not regulated Packing Group Not regulated Not regulated Not regulated Hazard label(s) Hazard label(s) Environmental hazards Not regulated Environmental hazards Not regulated Not regulated Not regulated Special precautions for user Special precautions for user

Sea transport (IMDG) (a)(c) Air transport (ICAO/IATA) (a)(c)

Not regulated UN number Not regulated **UN** number **Proper Shipping Name** Not regulated Proper Shipping Name Not regulated Not regulated Transport hazard class(es) Not regulated Transport hazard class(es) Not regulated Packing Group Not regulated Packing Group Not regulated Marine Pollutant Not regulated Environmental hazards Not regulated Not regulated Special precautions for user Special precautions for user

SECTION 15: REGULATORY INFORMATION

1

15.1 Safety, health and environmental regulations/legislation specific for the substance or

EU regulations 15.1.1

Authorisations and/or restrictions on use Consult the supplier.

European Union (EINECS/ELINCS) Referenced.

WGK number

15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act) All chemicals listed

SARA 311/312 - Hazard Categories None

SARA 302 - Extremely Hazardous Substances Listed -None SARA 313 - Toxic Chemicals Listed -None CERCLA (Comrehensive Environmental Listed -None

Response Compensation and Liability Act)

CAA (Clean Air Act 1990) Listed - None. CWA (Clean Water Act) Listed - None. State Right to Know Lists Listed – MA, NJ, PA Proposition 65 (California) Listed - None

Mitsubishi Imaging (MPM), Inc.

Page: 5/6 Expiration Date: 6 June 2016 Revision: 2011.01

SAFETY DATA SHEET SLM - OEIII Deletion Pen

Date: 7 June 2013

Canada

WHMIS Classification D2B –Material having other toxic effects Canada (DSL/NDSL): Sodium Thiosulfate Pentahydrate (10102-17-7) is not listed on the Canadian DSL or NDSL; the anhydrous form is listed. All other components of this product identified by CAS number are listed on the DSL or NDSL. Canada Ingredient Disclosure List (CIDL) Listed as required.

15.2 Chemical Safety Assessment: Irritant to eyes, skin, and repiratory system

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16. LEGEND ACCULA American Conference of Covernmental Industrial Magnetics NA

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
			Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mL	milliliter	WHMIS	Workplace Hazardous Material Information System

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological

Emergencies, Manufacturer Information Risk Phrases and Safety Phrases

R36: Irritating to eyes.

R36/37/38: Irritating to eyes, respiratory system and skin.

Hazard statement(s) and Precautionary statement(s)

H303 May be harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335: May cause respiratory irritation.

H402 Harmful to aquatic life.

Training advice: None

Additional Information: Ingredient names for labeling purposes (CAS #) - Water (7732-18-5), Ammonium Thiosulfate (7783-18-8), Diethylenetriamine Pentaacetic Acid mono iron, Diammonium Salt (85959-68-8), Ethylenediamine Tetraacetic Acid (60-00-4), Potassium Bromide (7758-02-3), Sodium Thiosulfate Pentahydrate (10102-17-7)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

Mitsubishi Imaging (MPM), Inc.

Page: 6/6 Expiration Date: 6 June 2016