

Revision: 2012.01 Date: 1 February 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

GHS Product Identifier O E Deletion Fluid

Product Code SLM-OE Chemical Name Mixture

Trade name O E Deletion Fluid

CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

Relevant identified uses of the substance or mixture and uses advised against 1.2

Identified use(s) Users are recommended to seek further advice. Users are recommended to seek further advice. Uses advised against

1.3 Supplier's details

> Company Identification Mitsubishi Imaging (MPM), Inc.

Address 555 Theodore Fremd Avenue, Rye, NY 10580 USA

Telephone (914) 925-3200

E-Mail (competent person)

1.4 **Emergency telephone number - ChemTrec**

Emergency Phone No. (800) 424-9300 (US/Canada), +01 (703) 527-3887 (Elsewhere)

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture
- 2.1.1 Regulation (EC) No. 1272/2008 (CLP) -Skin Corrosion 1C (3.2/2), Specific target organ toxicity 2 — single exposure (3.8/2).
- 2.1.2 Directive 67/548/EEC & Directive 1999/45/EC -Corrosive, Harmful
- 2.2 Label elements
- Label elements According to Regulation (EC) No. 1272/2008 (CLP) 2.2.1

GHS Product Identifier (EU)

Hazard pictogram(s)



Signal word(s) Danger

Hazard H314: Causes severe skin burns and eye damage.

statement(s) H371: May cause damage to organs

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. Precautionary

Statement(s) P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce

P310: Immediately call a POISON CENTRE or doctor/physician.

According to Directive 67/548/EEC & Directive 1999/45/EC 2.2.2 Label elements

Hazard Symbol



Risk Phrases R22: Harmful if swallowed.

R34: Causes burns.

Safety Phrases S26: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S28: After contact with skin, wash with plenty of soap and water.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S46 If swallowed, seek medical advice immediately and show this container or

label

Date: 1 February 2013

2.3 Other hazards Hazardous under OSHA Hazard Communication Standard (USA), Corrosive, Harmful, HMIS: Health 2, Flammability 0, Reactivity 0,

HMIS: Health-2, Flammability- 0 Reactivity - 0

GHS Classification (USA): Irritant (Eyes).Irritant (Skin)

H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage.

H371: May cause damage to organs

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTRE or doctor/physician.

WHMIS Classification (Canada): D1B, D2B, E - Corrosive, Immediately Toxic

Material, Toxic material causing other toxic effects.

H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H335: May cause respiratory irritation. P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTRE or doctor/physician.

2.4 **Additional Information**

Potential Health Effects

Inhalation May cause respiratory irritation Causes serious eve damage. Eye Contact

Skin Contact Causes skin irritation.

Ingestion May be toxic and/or corrosive.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.	<u> </u>	ogram(s) and atement(s)
Thiomalic acid	1-20	70-49-5	200-736-4	NR	!	3.1/4,3.2/2,3.3/2,3 .8/3: H302,H315, H319,H335.
Amorphous silica gel	5-20	7631-86-9	231-545-4	NR	!	3.3/2,3.8/3; H319, H335.
Hydrochloric Acid	<1	7647-01-0	231-595-7	017-002-01-X	A Part of the Part	3.2/1B,3.3/1, 3.8/3: H314,H335
2- Mercaptoethylamine hydrochloride	1-5	156-57-0	205-858-1	NR	(! >	3.1/4:H302
Methyl Alcohol	1-5	67-56-1	200-659-6	603-001-00-X		2.6/2,3.1/3,3.8/1: H225, H301, H311, H331, H370

Mitsubishi Imaging (MPM), Inc.

Page: 2/8 Expiration Date: 31 January 2016

Date: 1 February 2013

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	% W/W	CAS No.	EC No.	REACH Registration No.	EC Classification and Risk Phrases
Thiomalic acid	1-20	70-49-5	200-736-4	NR	R-22, R36/37/38
Amorphous silica gel	5-20	7631-86-9	231-545-4	NR	Xi, R36/37
Hydrochloric Acid	<1	7647-01-0	231-595-7	017-002-01-X	R-34,R37
2-Mercaptoethyl- amine hydrochloride	1-5	156-57-0	205-858-1	NR	R22,R37
Methyl Alcohol	1-5	67-56-1	200-659-6	NR	R11,R23/24/25, R39/23/24/25

3.3 **Additional Information**

- For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SECTION 4: FIRST AID MEASURES

Description of first aid measures 4.1

> Inhalation Remove patient from exposure. Keep patient at rest and give oxygen if

> > breathing difficult. If symptoms develop, obtain medical attention.

Immediately wash affected skin with soap and water. If symptoms develop, Skin Contact

obtain medical attention.

Remove contact lenses. Irrigate with eyewash solution or clean water, holding Eye Contact

the eyelids apart, for at least 15 minutes. If symptoms develop, obtain medical

attention.

Do not induce vomiting. Obtain immediate medical attention. Ingestion

4.2 Most important symptoms and **Acute:** Liquid product is corrosive to eyes and skin.

effects, both acute and delayed Delayed and chronic effects: Similar to acute

exposures.. Product is toxic by ingestion due to methyl

alcohol content. It cannot be made non-toxic.

4.3 Indication of the immediate medical

attention and special treatment

needed

Treat symptomatically; ingestions may require patient

monitoring to include diagnostic testing.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

> Suitable Extinguishing Media Non-combustible. Unsuitable Extinguishing Media

None

5.2 Special hazards arising from the

substance or mixture

Methanol vapors may be emitted from heated containers.

Keep containers cool with water spray.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective 6.1 equipment and emergency procedures

Ensure full personal protection (including respiratory protection) during removal of spillages.

Environmental precautions Do not let product enter drains.

6.3 Methods and material for containment and cleaning up Soak up with inert absorbent material and dispose accordingly. Keep in suitable, closed containers for

disposal.

6.4 Reference to other sections

See Also Section 7, 8, 13.

6.5 **Additional Information**

None

Mitsubishi Imaging (MPM), Inc.

6.2

Page: 3/8 Expiration Date: 31 January 2016 7.3

SAFETY DATA SHEET SLM O E Deletion Fluid

Date: 1 February 2013

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe Wear suitable protective clothing and eye/face protection. Avoid

handling contact with eyes and skin. Avoid ingestion.

7.2 Conditions for safe storage, Store at ambient termperatures. Store in closed containers. Store in a well-ventilated place. Keep/store away from: Water-

incompatibilities reactive materials

Storage Temperature Ambient temperatures.

Storage Life Not available

Incompatible materials Water-reactive materials.

Specific end use(s) Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Thiomalic acid	70-49-5	NE	NE	NE	NE	OSHA
Thiomaile acid		NE	NE	NE	NE	ACGIH
Amorphous silica gel	7631-86-9	NE	NE	NE	15	OSHA
		NE	15	NE	NE	ACGIH
l ludro oblorio opid	7647-01-0	NE	NE	5 Ceiling	7.5 Ceiling	OSHA
Hydrochloric acid		5 Ceiling	7.5 Ceiling	NE	NE	ACGIH
2-Mercaptoethyl-	1EG E7 0	NE	NE	NE	NE	OSHA
amine hydrochloride	156-57-0	NE	NE	NE	NE	ACGIH
Matheul Alaskal	67 56 1	NE	NE	250	327	OSHA
Methyl Alcohol	67-56-1	200	262	NE	NE	ACGIH

8.1.2 Biological limit value

Biological limit values are not available for this product.

8.1.3 PNECs and DNELs

No PNECs and/or DNELs are available for this product.

8.2 Exposure controls

8.2.1 Appropriate engineering controls Guarantee sufficient ventilation during and after use, in

order to prevent vapour accumulation.

8.2.2 Personal protection equipment

Eye/face protection Safety glasses.

Skin protection Plastic or synthetic rubber gloves. Wear chemical resistant (Hand protection/ Other) apron.

Respiratory protection Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.

Thermal hazards None

8.2.3 Environmental Exposure Controls Adequate ventilation must be used.

HMIS PPE Rating: C – Safety Glasses, Gloves, & Chemical Apron.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Opaque solution. Pinkish Weak Hot-spring like Odour Odour Threshold (ppm) Not available odour. Not available Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): 100°C Flash Point (°C) Non-Flammable Explosive limit ranges Not available Auto Ignition Temperature (°C) Not available Decomposition Temperature (°C) Not available Explosive properties Not available Oxidising properties Not available Flammability (solid, gas) Not available pH (Value) 0.5-1.0 Vapour Pressure (mm Hg) Evaporation rate <1 NA

9.2 Other information Volatile Organic Compounds: 5% maximum by weight.

Page: 4/8 Expiration Date: 31 January 2016

Date: 1 February 2013

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Moderate.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Can react violently if in contact with - Strong alkalis, Strong

oxidizers.

10.4 Conditions to avoid Extreme temperatures

10.5 Incompatible materials Strong oxidizers, Strong alkalis.

10.6 Hazardous Decomposition Decomposition will not occur if handled and stored properly. Product(s)

In case of fire, oxides of carbon, hydrocarbons, fumes and

smoke may be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Ingredient	CAS No.	LD ₅₀ (Oral, Rat)	LC ₅₀ (Inhalation, Rat)
Thiomalic acid	70-49-5	NE	NE
Silica Gel Amorphous	7631-86-9	NE	NE
Hydrochloric Acid	7647-01-0	900 mg/kg (Rabbit)	1108 ppm/1Hr (Mouse)
2-mercaptoethylamine hydrochloride	156-57-0	1352 mg/kg (Mouse)	NE
Methyl Alcohol	67-56-1	5600 mg/kg	64000 ppm/ 4H Inhalation

11.1 Information on toxicological effects

11.1.2 Mixtures

Acute toxicity May be toxic and/or corrosive if swallowed. Irritation Severe eye irritant; skin and respiratory irritant. Corrosive to Eyes, Skin and Gastrointestinal tract. Corrosivity

Not to be expected. Sensitisation

Repeated dose toxicity Similar to acute exposures.

None of the components present in this formulation at Carcinogenicity

concentrations equal to or greater than 0.1% are listed by the

IARC, NTP or OSHA.

Mutagenicity No data.

Toxicity for reproduction Methanol is considered to be a developmental toxin by the sate of

California.

11.2 Other information No data.

SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** No data. 12.2 Persistence and degradability No data. 12.3 Bioaccumulative potential No data. Mobility in soil 12.4 No data. 12.5 Results of PBT and vPvB assessment No data.

12.6 Other adverse effects Environmental hazards cannot be excluded by

inappropriate handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment Do not empty into drains; dispose of this material and its container in a safe methods way. Send to a licensed recycler, reclaimer or incinerator. Avoid release to

the environment. Decontaminate empty containers before recycling.

13.2 Additional None

Information

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID) (a)(b) Land transport (Within USA) (a)(b)

UN1760 UN1760 Proper Shipping Name - Corrosive liquid, n.o.s. Proper Shipping Name - Corrosive liquid, n.o.s. Transport hazard class(es) 8 Transport hazard class(es) 8 Packing Group Ш Packing Group Ш Hazard label(s) Corrosive Hazard label(s) Corrosive

Mitsubishi Imaging (MPM), Inc.

Expiration Date: 31 January 2016 Page: 5/8

Revision: 2012.01

SAFETY DATA SHEET

SLM O E Deletion Fluid

Environmental hazards No data Environmental hazards No data Special precautions for user None Special precautions for user None

Sea transport (IMDG) (a)(b) Air transport (ICAO/IATA) (a)(b)

UN1760 UN1760 **UN** number **UN** number Proper Shipping Name - Corrosive liquid, n.o.s. Proper Shipping Name - Corrosive liquid, n.o.s. Transport hazard class(es) Transport hazard class(es) Packing Group Ш Packing Group Ш Marine Pollutant NO Environmental hazards No data Special precautions for user None Special precautions for user None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 **EU** regulations

Authorisations and/or restrictions on use Consult the supplier.

European Union (EINECS/ELINCS) Referenced

WGK number

15.1.2 National regulations

USA

All chemicals listed TSCA (Toxic Substance Control Act) SARA 311/312 - Hazard Categories Acute health. SARA 302 - Extremely Hazardous Substances Listed - None.

SARA 313 - Toxic Chemicals Listed – Methyl alcohol (CAS#67-56-1)

CERCLA (Comprehensive Environmental Response Listed - 20,000 lbs as RQ.

Compensation and Liability Act)

CAA (Clean Air Act 1990) Listed - None. CWA (Clean Water Act) Listed - None. State Right to Know Lists Listed as required.

Proposition 65 (California) WARNING: Methanol is a substance known to the state of California

to cause developmental toxicity.

Canada

WHMIS Classification Class D1B – Immediately Toxic Materials, D2B –

Materials with other Toxic Effects, E - Corrosive

Date: 1 February 2013

Materials

Canada (DSL/NDSL) Components of this are listed on the DSL or

> NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations.

Canada Ingredient Disclosure List (CIDL) Listed – Hydrochloric acid, Methyl Alcohol.

15.2 Chemical Safety Assessment: Corrosive, Harmful or toxic if ingested, Irritant (to eyes), Irritant to skin, eyes, and respiratory system, Causes specific organ injury if ingested (blindness)

Mitsubishi Imaging (MPM), Inc. Page: 6/8 Expiration Date: 31 January 2016

⁽a) - Consult with transport provider.

⁽b) - Check relevant regulations for Special Provisions.

Date: 1 February 2013

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

On of the second of One common and all the developments and all the second of the seco

LEGEND

ACGIH	I American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch
DEA	Drug Enforcement Agency	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	RQ	Reportable quantity
DSCL	Dangerous Substances Classification and Labeling	RTK	Right to Know
EEC	European Economic Community	SARA	Superfund Amendments and Reauthorization Act
FDA	Food and Drug Administration	STEL	short-term exposure limit
HMIS	Hazardous Materials Information System	SUSDP	Standard for the Uniform Scheduling of Drugs and
	·		Poisons (Australia)
IARC	International Agency for Research on Cancer	TCC	Tagliabue Closed Cup
IDLH	immediate danger to life or health	TDG	Transportation of Dangerous Goods
kg	kilogram	TPQ	threshold planning quantity
L	liter	TQ	threshold quantity
LC50	median lethal concentration	TSCA	Toxic Substances Control Act
LD50	median lethal dose	TWA	time-weighted average
LEL	lower explosive limit	UEL	upper explosive limit
mg	milligram	WES	Workplace Exposure Standard (New Zealand)
mĹ	milliliter	WHMIS	Workplace Hazardous Material Information System
GMSD00030B			•

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's Toxicological Emergencies, Manufacturer Information

Risk Phrases

R11: Highly flammable.

R22: Harmful if swallowed.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R37: Irritating to respiratory system.

R39/23/24/25: Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

Hazard statement(s)

H301: Toxic if swallowed.

H302 Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H370: Causes damage to organs.

H371: May cause damage to organs.

Training advice: None

Additional Information: Ingredient names for labeling purposes (CAS #) -,Water (7732-18-5), Amorphous silica gel (7631-86-9), Thiomalic acid (70-49-5), Hydrochloric acid (7647-01-0), 2-Mercaptoethylamine hydrochloride (156-57-0), Methyl alcohol (67-56-1).

Mitsubishi Imaging (MPM), Inc.

Page: 7/8 Expiration Date: 31 January 2016

Revision: 2012.01

SAFETY DATA SHEET SLM O E Deletion Fluid

this material even if reasonable safety procedures are followed. Any questions regarding this product should

be directed to the manufacturer of the product as described in Section 1.

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of

Date: 1 February 2013

Mitsubishi Imaging (MPM), Inc.

Page: 8/8 Expiration Date: 31 January 2016